


**AVerMedia**<sup>®</sup>

Portable  
Visualizer

# **AVer**<sup>™</sup> **Vision** CP355

*Better than Real*



**All-New Revolutionary  
AVer+ Software Included!**





**AVerVision**

# CP355

## Seeing is believing!

Examine the smallest details of your documents, 3D objects, and live movements with the AVerVision CP355's optical zoom. Open up a world of new presentation possibilities with the revolutionary AVer+ software by pooling content from your computer files or the Internet, creating content with the software, or using images from the visualizer.

## 3.2M Sensor



### Clear Image Quality

3.2-Megapixel camera sensor captures vivid images of documents, 3D objects, and live movements.




### Zoom Zoom Zoom!

Use the exclusive shuttle wheel to swiftly magnify the smallest details with the AVer® Optical zoom up to 10X.



### Laser Guide

Accurately place any object under the camera using the patented laser positioning guide.



### Wide Angle Mode

Ample shooting area to display A4-sized documents in portrait format.



**Immediately  
Grab Attention!**



**Automatic**

Deliver clear images in any light condition with the one-touch Auto Image. Sharpen images with the one-touch Auto Focus.

**HOT!**



**All-New Revolutionary  
AVer+ Software**

- Mix and Match content from an AVerVision visualizer, a computer, the Internet, and user-created material to provide a rich learning experience
- Create and organize teaching materials on unlimited page space for intuitive learning. Never run out of page space again
- Annotate, draw, mark or type text on top of any material you have chosen to use
- Record and share your favorite lessons and your favorite students' work



**No Lag**

24fps delivers smooth real-time video feed perfect for instructional demonstrations.

With a visualizer, you can display...




**AVerVision CP355**

With a visualizer, display images to a whole audience through a...



**Product Specifications**

Image Sensor	1/2.5" CMOS Color Image Sensor
Total Pixels	3.2M Pixels
Output Resolution	HD 720p (1280 x 720)
Lens	F 3.2 (Wide), F 6.8 (Tele)
Zoom	80X Total Zoom (10X AVer® Optical Zoom + 8X Digital Zoom)
Frame Rate	24fps (Max.)
Focus	Auto / Manual
Shooting Area	400mm x 300mm (Max.)
Image Rotation	Camera Head 0° / 90° / -90°
Image Storage	Built-in Memory (Max: 80; up to 3M each)
On-Screen Display (OSD)	Provided
Image Effects	Color / B&W / Negative / Mirror / Reverse / Freeze
Image Adjustments	Auto / Manual (White Balance / Exposure / Night View)
AVerPresenter	Provided (AVerBox & AVerVisor)
Split Screen	Provided (Vertical & Horizontal)
Picture-in-Picture	Provided
Display Mode	Text / Graphics / High Frame / Wide Angle / Macro / Infinite / Microscope
Capture Mode	Single / Continuous
User Profiles	Up to 3
Timer	Provided
Flicker Filter Control	Provided (2 Levels)
Remote Control	Provided (with Laser Pointer)
DVI-I Output	Provided
RGB Input	Provided (15-Pins D-Sub, Pass Through)
RGB Output	Provided (15-Pins D-Sub, Pass Through)
S-Video & Composite Video Output	Provided (NTSC or PAL)
RS-232 Port	Provided (with S-Video / RS-232 Adapter cable)
USB 2.0 Port	Provided (PC Camera / Built-in Image Download)
Light Source	Embedded LED Lamp
Laser Positioning Guide	Provided
Dimension	Operating: 180mm x 430mm x 600mm Folded: 245mm x 355mm x 63mm
Net Weight	2.6kg (5.73lbs)
Power Consumption	20W (Max.)
Certifications	FCC, CE
<b>Compatible Operating System (AVer+ Software)</b>	
Windows®	XP (SP2), Vista (32-bit or 64-bit), 7
Macintosh®	OS 10.4 (Tiger), OS 10.5 (Leopard), OS 10.6 (Snow Leopard)
<b>Package Content</b>	
AVerVision CP355 Unit	Remote Control with Batteries
AVer+ Software CD	User Manual CD
Power Adapter	Quick Guide
RGB Cable	Warranty Card
USB Cable	Anti-Glare Sheet
S-Video / RS-232 Adapter Cable	Carrying Bag



**Optional Accessories**



**Distributor / Dealer :**



Patent No: Japan 3122844, Taiwan I276904  
 © 2008-2010 AVerMedia INFORMATION, Inc.  
 All rights reserved. No part of this document may be reproduced, transmitted, transcribed, stored in a retrieval system, transmitted in any form, or translated into any language by any means (electronically, mechanically, photocopied, recorded, etc.) without the prior written permission of AVerMedia. Information in this document is subject to change without notice. The information contained herein is for informational purposes only and shall not be considered legally binding. "AVerVision" and "AVer" are trademarks (or registered trademarks) of AVerMedia Information, Inc. Other trademarks used herein for description purposes only belong to each of their respective companies. (201012)